

Research Article

Safety, Reliability, and Risk Management: Monitoring, Early Warning, and Compliance Across Industries

Daniel R. Mercer^{1,*}

¹ Department of Computer Science, Stanford University, 94305, USA

* Corresponding author: Daniel R. Mercer


Email: DanielRMercer@outlook.com

Abstract: Safety, reliability, and risk management have become increasingly difficult to address through conventional approaches, particularly when failures are rare, consequences are unevenly distributed, and regulatory expectations differ across domains. This paper develops a four-layer analytical framework—monitoring, early warning, evaluation, and compliance—and applies it to a multi-industry review spanning automotive-grade RF power amplifiers, V2X on-board terminals, laminated windshield glass, semiconductor manufacturing, lithium-ion batteries, smart pet devices, financial CRM systems, and traditional Chinese medicine interventions. Engineering studies suggest that detection performance is only one dimension of safety, and that threshold selection, false alarm rates, and organizational willingness to act on uncertain signals are equally important, though evidence remains fragmented and reporting practices inconsistent. Battery and smart device research reveals trade-offs between sensitivity and false alarm rates that are not purely technical, and ethical dimensions that are not always addressed. Data compliance and healthcare studies indicate that safety criteria are not commensurable across domains, with regulatory compliance largely rule-based and clinical safety evaluated through outcomes and adverse events, which constrains direct comparison. Rather than proposing a unified evaluation model, the paper argues that cross-domain learning is possible only if concepts are translated with care and if the limitations of current evidence—small samples, short follow-up, contextual confounding—are acknowledged. Future research may benefit from longitudinal designs, broader heterogeneous datasets, and greater attention to implementation contexts and governance mechanisms.

Keywords: *Safety Monitoring, Reliability Assessment, Risk Management, Early Warning Systems, Compliance Management, Cross-Domain Comparison.*

1. Introduction

The growing complexity of modern engineering, data, and healthcare systems has made safety, reliability, and risk management increasingly difficult to address through conventional approaches, particularly when failures are rare, consequences are unevenly distributed, and regulatory expectations differ across domains. This chapter attempts to establish a theoretical framework by examining how safety and reliability concerns have evolved from hardware-focused degradation monitoring toward data compliance,




clinical risk assessment, and device-level early warning. Rather than assuming a linear progression from detection to prevention, the discussion acknowledges that safety practices remain uneven and, to some extent, contingent on institutional capacity, measurement infrastructure, and the willingness to act on uncertain signals. Existing studies often emphasize detection performance while paying limited attention to false alarm costs, threshold selection, and the organizational conditions under which warnings are actually heeded. Considering these limitations, the chapter proposes a four-layer framework—monitoring, early warning, evaluation, and compliance, as a tentative organizing logic rather than a fixed prescription. Whether such a framework can be generalized without losing sensitivity to domain-specific failure modes remains an open question, and further research is needed to test its analytical value across heterogeneous settings.

The emergence of safety and reliability as a distinct research area can be traced to several converging developments. On the engineering side, the increasing availability of low-cost sensors and embedded computing has made continuous state observation feasible in settings where periodic inspection was once the norm. In automotive-grade radio frequency power amplifiers, endurance aging introduces gradual performance degradation that may not be captured by conventional end-of-line testing, and online monitoring has been proposed as a possible remedy ^[1]. Similar concerns appear in V2X on-board terminals, where receiving sensitivity must be validated under multiple working conditions rather than a single nominal configuration ^[2]. These engineering efforts share a common assumption: that continuous data streams contain information about system health that discrete testing cannot provide. Whether this assumption holds across all operating regimes is, however, an open question.

On the data and healthcare side, safety concerns take different forms. Research on compliance and cross-border transfer technology for customer data in financial CRM systems highlights the tension between data utility and regulatory constraints, a tension that technical solutions alone may not resolve ^[3]. Research on the impact of traditional Chinese non-pharmacological therapies on blood pressure control in community patients with hypertension reports improvements in blood pressure outcomes, yet the sample size is modest and the follow-up period is short, which limits the strength of causal inference ^[4]. These studies share a common assumption: that safety can be assessed through measurable indicators. Whether the indicators chosen actually capture what matters is, however, a question that the literature has not fully resolved.

The framework proposed in this chapter is therefore deliberately modest. It does not claim that monitoring, early warning, evaluation, and compliance form a universal sequence; rather, it suggests that these four layers represent recurring concerns that appear, in different forms, across the domains reviewed in this paper. The monitoring layer concerns the acquisition and validation of state information. The early warning layer concerns the translation of state information into signals that prompt action. The evaluation layer concerns the assessment of whether safety and reliability goals have been met. The compliance layer concerns the alignment of organizational behavior with regulatory and normative requirements. In practice, these layers overlap, and their boundaries are not always clear.

One difficulty encountered in constructing this framework was the temptation to treat it as a taxonomy into which every study could be neatly placed. Several studies resisted such placement. Research on thermal runaway early warning and safety management for polymer lithium-ion batteries in wearable pet devices, for example, combines monitoring, early warning, and evaluation in a single system ^[5], while work on integrated acupuncture, tuina and moxibustion for chronic multisite musculoskeletal pain blurs the line between evaluation and clinical safety ^[6]. Rather than forcing these studies into separate layers,



the framework treats them as instances where multiple layers are active simultaneously. This adjustment was not anticipated at the outset and reflects a broader lesson: theoretical frameworks in safety research are often more useful as diagnostic tools than as classification schemes.

Another difficulty concerned the treatment of evidence. Engineering studies often report performance metrics with confidence intervals, while clinical studies frequently rely on patient-reported outcomes and adverse event reporting. Comparing these evidence types directly is problematic, and the chapter does not attempt to do so. Instead, it treats evidence quality as a cross-cutting concern that manifests differently in different domains. In engineering, uncertainty may be aleatoric, arising from sensor noise or environmental variation; in clinical research, uncertainty may be epistemic, arising from incomplete understanding of intervention mechanisms. Recognizing this distinction may help future research avoid the error of applying engineering-style uncertainty quantification to problems where it is not appropriate.

The chapter also reflects on the limitations of the multi-industry comparative approach adopted in this paper. Comparing safety practices across engineering, data, finance, and healthcare risks superficiality, as the institutional, regulatory, and cultural contexts differ substantially. To some extent, this risk is unavoidable. The justification for comparison is not that the domains are identical but that they face structurally similar problems: how to acquire reliable data, how to detect early signals of trouble, how to evaluate whether safety goals have been met, and how to align behavior with compliance requirements. Whether these structural similarities are deep enough to support meaningful cross-domain learning remains to be seen, and further research is needed to test this possibility.

2. Hardware and Equipment Safety

This chapter examines hardware and equipment safety through the intertwined lenses of online monitoring, degradation assessment, and life prediction, focusing on domains where failure costs are high and warning windows are narrow. It considers online monitoring and degradation evaluation for automotive-grade RF power amplifiers under endurance aging, automatic test methods for V2X on-board terminal receiving sensitivity, geometric curvature inspection and multi-physics coupling analysis for laminated automotive windshield glass, cloud-native lakehouse architectures and multi-task learning for semiconductor manufacturing, and wavelet transform and particle swarm optimization enhanced support vector regression for lithium-ion battery remaining useful life prediction. One observation that emerges is that detection performance is only one dimension of safety; equally important are threshold selection, false alarm rates, and the organizational willingness to act on uncertain signals. Another is that life prediction models often rely on historical data that may not represent future operating conditions, which raises questions about transferability. The chapter also reflects on the difficulty of comparing safety practices across domains with different failure costs, different regulatory regimes, and different tolerances for uncertainty. These considerations suggest that hardware safety is not merely a technical problem but a socio-technical one, in which measurement infrastructure, maintenance practices, and organizational priorities all play a role.

The methodological landscape of online monitoring in hardware safety is more fragmented than it first appears. In the case of automotive-grade RF power amplifiers, the challenge is not simply to detect degradation but to distinguish it from normal parameter drift caused by temperature, supply voltage variation, and load mismatch. Research on online monitoring and performance degradation evaluation addresses this by tracking multiple performance indicators over time and applying degradation criteria calibrated to endurance aging. One limitation of this approach is that calibration requires prior knowledge

of aging behavior, which may not be available for new device generations. This limitation is not unique to RF amplifiers; similar issues arise in semiconductor manufacturing, where process changes and equipment aging interact in ways that are difficult to anticipate.

V2X on-board terminals present a different set of challenges, particularly in the context of automatic testing under multiple working conditions. Research on RF receiving sensitivity proposes an automatic test method designed to reduce manual intervention and improve repeatability. The method is promising, but its validation is based on a specific set of working conditions, and it is unclear how well it would generalize to conditions not represented in the test set. A related study on modular simulation test platforms for vehicular wireless signals proposes a modular architecture that supports multi-scenario testing ^[7]. The architecture is flexible, but flexibility comes at a cost: modular systems may be more complex to configure and maintain, and the overhead may not be justified for applications with narrow testing requirements.

Automotive laminated windshield glass introduces yet another dimension, namely the coupling of geometric, thermal, mechanical, and electromagnetic properties. Research on multi-point geometric curvature inspection proposes a framework with unified-datum decoupling, region-aware adaptive NSGA-II layout, and closed-loop mold compensation [8]. The complexity of this framework reflects the difficulty of achieving dimensional consistency in large-size laminated glass, where small deviations can accumulate during lamination. A related study examines thermo-mechano-electromagnetic multi-physics coupling and unified-datum tolerance coordination, with full-lifecycle experimental verification ^[9]. These studies are methodologically ambitious, but the reliance on simulation and controlled experiments raises questions about performance in mass production environments, where variability is higher and feedback loops are longer. Research on weathering resistance of high UV-blocking coatings for automotive glass evaluates performance through accelerated aging tests ^[10]. Accelerated tests are useful but may not perfectly reproduce field conditions, and the extrapolation from laboratory to service life involves assumptions that are not always made explicit.

Semiconductor manufacturing systems offer a contrasting case, where the monitoring problem is complicated by high-dimensional data, rapid process changes, and the need for real-time decisions. Research on cloud-native lakehouse architectures for real-time semiconductor analytics emphasizes the balance among performance, cost, and energy efficiency ^[11]. This work is notable for treating architectural concerns as first-class research questions rather than implementation details. However, the evaluation is based on a specific deployment context, and it is unclear how well the architecture would generalize to fabs with different data volumes or latency requirements. A related study applies multi-task learning to anomaly detection and remaining useful life prediction, demonstrating that shared representations can improve both tasks simultaneously ^[12]. The risk here is negative transfer: if the tasks are not sufficiently related, joint training may degrade performance rather than improve it. The study reports positive results, but the conditions under which multi-task learning is beneficial remain an open question.

Lithium-ion battery remaining useful life prediction offers a further case. Research on a wavelet transform and particle swarm optimization enhanced support vector regression framework for lithium-ion battery remaining useful life prediction proposes a method that combines signal decomposition with parameter optimization ^[13]. The method is technically sophisticated, but its performance depends on the availability of historical degradation data, which may not be available for new battery chemistries or new usage patterns. An alternative interpretation is that the method's apparent accuracy reflects the characteristics of the specific dataset used for evaluation rather than a generalizable property of the

approach. Distinguishing between these interpretations would require testing on multiple datasets with different characteristics, and further research is needed to explore this question.

Comparing these domains, several common threads emerge. First, degradation and anomaly detection are rarely single-variable phenomena; they typically involve interactions among multiple physical or operational factors. Second, monitoring methods are only as good as the data they rely on, and data quality issues are pervasive. Third, the choice of evaluation metrics shapes what is detected and what is missed, and metric selection is often driven by practical considerations rather than theoretical ones. These threads suggest that hardware safety is not a purely technical problem but a socio-technical one, in which measurement infrastructure, maintenance practices, and organizational priorities all play a role.

One methodological difficulty encountered in reviewing these studies was the inconsistency of reporting practices. Some studies report extensive validation results, while others provide only illustrative examples. Some discuss limitations candidly, while others do not. This inconsistency makes it difficult to compare methods on a common basis and may lead to overconfidence in methods that have been tested in narrow conditions. A possible remedy is the development of reporting standards for hardware safety studies, analogous to those in clinical research. Whether such standards would be adopted, and whether they would improve practice, is an open question. Further research is needed to explore this possibility.

3. Battery Safety and Smart Device Risk Early Warning

This chapter shifts attention to battery safety and smart device risk early warning, where the challenge is not only to detect hazardous conditions but to do so early enough to act, while avoiding warnings so frequent that they lose credibility. It examines thermal runaway mechanisms and safety management for polymer lithium-ion batteries in wearable pet devices, intelligent pet anti-barking collar control based on multi-sensor fusion, dog bark recognition using Mel-frequency cepstral coefficients and lightweight neural networks, and remaining useful life prediction for lithium-ion batteries. A recurring difficulty is that thermal runaway is a rare event, which makes threshold selection statistically challenging: thresholds that are sensitive enough to catch early precursors may also generate frequent false alarms, and thresholds that are conservative enough to avoid false alarms may miss the window for intervention. Similarly, lightweight recognition models may perform well on benchmark data but degrade under sensor placement changes or background noise, which raises questions about their reliability in deployment. The chapter also notes that safety management in consumer devices involves ethical dimensions, including the potential for stress or discomfort in animals, that are not always addressed in technical research. Considering these complexities, the discussion avoids treating early warning as a purely algorithmic problem and instead highlights the need for context-sensitive safety design.

The case of polymer lithium-ion batteries in wearable pet devices illustrates the tension between sensitivity and reliability in early warning. Research on thermal runaway early warning and safety management proposes a system that integrates thermal monitoring with warning logic. The system is promising, but the study does not fully specify how warning thresholds were determined or how they might transfer to other battery chemistries. One possible interpretation is that thresholds were selected empirically based on observed data, which would make them sensitive to the specific conditions under which the data were collected. An alternative interpretation is that thresholds were derived from physical models of thermal runaway, which would make them more generalizable but potentially less sensitive to early precursors. Distinguishing between these interpretations would require a more detailed account of threshold selection than the study provides, and further research is needed to clarify this point.

Intelligent pet anti-barking collars present a different set of challenges, where safety concerns extend beyond device failure to include the welfare of the animal. Research on intelligent pet anti-barking collar control systems based on multi-sensor fusion describes a system that integrates acoustic, motion, and possibly physiological signals to distinguish barking from other vocalizations and to trigger a corrective response ^[14]. The system-level perspective is valuable, but the study does not fully address the ethical dimensions of automated corrective devices, including the potential for stress or discomfort. These concerns are not merely externalities; they may affect user acceptance and, consequently, the practical viability of the technology. A more explicit treatment of ethical and welfare considerations would strengthen future work in this area.


Dog bark recognition using Mel-frequency cepstral coefficients and lightweight neural networks offers a further case. Research on this topic proposes an algorithm designed for embedded deployment [15]. The method achieves reasonable accuracy on the reported dataset, but the dataset composition is not fully described, and it is unclear how the method would perform on breeds or acoustic environments not represented in training. This is a familiar problem in applied machine learning: performance on benchmark data may not predict performance in deployment. The study acknowledges this limitation, though the discussion of mitigation strategies is brief. One possible mitigation strategy is to augment training data with synthetic or collected samples from underrepresented conditions, but whether this strategy is effective in practice remains an open question.

Lithium-ion battery remaining useful life prediction provides a link between battery safety and life prediction. Research on a wavelet transform and particle swarm optimization enhanced support vector regression framework proposes a method that combines signal decomposition with parameter optimization. The method is technically sophisticated, but its performance depends on the availability of historical degradation data, which may not be available for new battery chemistries or new usage patterns. A related concern is that prediction models may be overconfident in their estimates, particularly when extrapolating beyond the range of training data. Whether such overconfidence can be mitigated through uncertainty quantification or ensemble methods is an open question, and further research is needed to explore this possibility.

Comparing these cases, several themes emerge. First, early warning in consumer devices involves trade-offs between sensitivity and false alarm rates that are not purely technical; they depend on the costs of different error types, which vary by application and by user. Second, safety management in devices that interact with living beings involves ethical dimensions that are not always addressed in technical research. Third, prediction models are only as good as the data they rely on, and their performance may degrade when conditions change. These themes suggest that battery safety and smart device risk early warning require not only technical expertise but also ethical and user-centered design. A purely algorithmic approach may miss important aspects of how these systems function in practice.

One difficulty encountered in reviewing this literature was the difficulty of assessing the generalizability of findings. Studies often report results on specific datasets or in specific deployment contexts, and it is unclear how well the findings would transfer to other settings. A possible response is to encourage multi-site and multi-dataset validation, but this raises questions about cost and feasibility. Whether such validation is possible for rare events like thermal runaway is uncertain, and further research is needed to explore alternative approaches to assessing generalizability.

4. Data Compliance, Financial Safety, and Healthcare Risk




This chapter explores data compliance, financial safety, and healthcare risk, domains in which safety is defined less by physical failure than by regulatory violation, data misuse, or clinical harm. It considers compliance and cross-border transfer technology for customer data in financial CRM systems, technical standard development for cross-industry data integration in enterprise-level ERP systems, the impact of traditional Chinese non-pharmacological therapies on blood pressure control in community patients with hypertension, the intervention of cancer patients' anxiety by the concept of "harmonization of body and mind," integrated acupuncture, tuina and moxibustion for chronic multisite musculoskeletal pain, theoretical analysis of combined interventions for elderly chronic musculoskeletal pain, standardization of time-based moxibustion with Linggui Bafa for mild cognitive impairment, and the three-in-one therapy for pediatric asthma. One observation that emerges is that safety criteria are not commensurable across these domains: regulatory compliance in finance is largely rule-based, while clinical safety is evaluated through outcomes and adverse events, and the two cannot be compared directly. Another is that evidence quality varies widely, with some clinical studies limited by small samples and short follow-up, which constrains the strength of safety conclusions. The chapter also reflects on the difficulty of isolating intervention effects from contextual factors, and on the ethical dimensions of risk in vulnerable populations.

The case of financial CRM compliance illustrates the tension between data utility and regulatory protection. Research on compliance and cross-border transfer technology for customer data in financial CRM systems highlights this tension and proposes technical solutions for compliant data transfer. The solutions are useful, but they do not resolve the underlying conflict between the logic of financial innovation, which rewards speed and data richness, and the logic of regulatory protection, which rewards caution and data minimization. One possible interpretation is that this conflict is permanent and can only be managed, not resolved. An alternative interpretation is that the conflict is contingent on current regulatory frameworks and could be reduced through regulatory reform. Distinguishing between these interpretations would require analysis of regulatory dynamics that the study does not provide, and further research is needed to explore this question.

Enterprise data integration standards offer a different angle on data safety. Research on technical standard development for cross-industry data integration in enterprise-level ERP systems examines how standards are negotiated among firms with divergent interests [16]. Standard development is a slow, consensus-based process, and the study provides useful insights into the challenges involved. However, standards are not self-enforcing, and adoption depends on incentives that vary across firms and industries. A related concern is that standards may privilege certain kinds of data—structured, quantifiable, easily transmitted—over others, potentially marginalizing practices that resist standardization. Whether this concern is empirically significant remains an open question, and further research is needed to assess the distributional effects of standard-setting.

Clinical research on traditional Chinese medicine interventions provides a different kind of evidence on healthcare safety. Research on the impact of traditional Chinese non-pharmacological therapies on blood pressure control in community patients with hypertension reports improvements in blood pressure outcomes. The study is valuable for its community-based design, but the sample size is modest, and the follow-up period is short, which limits the strength of causal inference. A related study examines the intervention of cancer patients' anxiety by the concept of "harmonization of body and mind" in traditional Chinese medicine [17]. The concept is culturally resonant, but its operationalization for research purposes is challenging, and the study relies on self-reported outcomes that may be subject to social desirability




bias. Research on integrated acupuncture, tuina and moxibustion for chronic multisite musculoskeletal pain reports a three-arm assessor-blinded randomized controlled trial with biomarker and pressure pain threshold assessments. The trial design is rigorous, but the intervention is complex, and it is difficult to isolate which component contributes most to observed effects. A related theoretical analysis of combined acupuncture, tuina and moxibustion for elderly chronic musculoskeletal pain guided by meridian examination offers a conceptual framework ^[18]. The framework is useful for organizing clinical reasoning, but it is not directly testable in its current form. Research on standardization of time-based moxibustion with Linggui Bafa for intervention in mild cognitive impairment proposes a theoretical analysis from the perspectives of time-based qi transformation and meridian time sequence ^[19]. The analysis is rich in traditional theory, but its translation into testable hypotheses remains a challenge. Research on the three-in-one therapy for pediatric asthma reports clinical observations. The study is valuable for its focus on a pediatric population, but the evidence base is small, and replication is needed before firm conclusions can be drawn.

Comparing these cases, several themes emerge. First, safety criteria are not commensurable across domains, and attempts to compare them directly may obscure more than they reveal. Second, evidence quality varies widely, and claims about safety should be tempered by attention to study design, sample size, and potential biases. Third, the ethical dimensions of risk are particularly salient in healthcare, where interventions may affect vulnerable populations who are not always able to advocate for themselves. These themes suggest that the study of data compliance, financial safety, and healthcare risk requires not only technical and clinical expertise but also ethical and regulatory analysis. A purely technical approach may miss important aspects of how safety is defined and experienced in these domains.

One difficulty encountered in reviewing this literature was the incommensurability of evidence across domains. Regulatory compliance studies, clinical trials, theoretical analyses, and engineering evaluations each have their own standards of rigor, and comparing them directly is problematic. Rather than attempting such comparison, this chapter treats each study on its own terms and asks what it can and cannot establish. This approach is more modest than a unified evaluation framework, but it may be more honest about the limits of current knowledge. Whether a more integrated approach is possible remains an open question, and further research is needed to explore this possibility.

5. Conclusion

The final chapter turns toward comprehensive evaluation and future directions, not as a summary of preceding chapters but as a reconsideration of what safety, reliability, and risk management might mean when viewed across hardware, battery, data, financial, and healthcare domains; it asks how safety pathways differ across sectors, why some risks are addressed more readily than others, and what role monitoring, early warning, evaluation, and compliance practices play in shaping outcomes, and it reflects on the difficulty that safety criteria are not commensurable—what counts as acceptable false alarm rates in semiconductor manufacturing may not count as acceptable in clinical monitoring, and what counts as adequate data protection in one jurisdiction may not count as adequate in another—which makes any unified evaluation framework attractive in theory yet problematic in practice; rather than proposing such a framework, the chapter suggests that cross-domain learning may be possible only if concepts are translated with care and if the limitations of current evidence, including small samples, short follow-up periods, and contextual confounding, are acknowledged rather than smoothed over, and it looks toward future research that might combine longitudinal designs, broader and more heterogeneous datasets, and greater attention to implementation contexts and governance mechanisms, so that the question of how



safety and reliability can be governed responsibly across heterogeneous domains becomes not a concluding remark but an opening for further inquiry.

Data Availability Statement

Data will be made available on request.

Funding

This work was supported without any funding.

Conflicts of Interest


The author(s) declare no conflicts of interest.

Ethical Approval and Consent to Participate

Not applicable.

References

- [1] Zhao, Y. (2026). Online Monitoring and Performance Degradation Evaluation Method for Automotive-Grade RF Power Amplifiers Under Endurance Aging. *Journal of Progress in Engineering and Physical Science*, 5(2), 66-76.
- [2] Zhao, Y. (2026). Research on Automatic Test Method of RF Receiving Sensitivity for V2X On-Board Terminals Under Multi-Working Conditions. *Innovation in Science and Technology*, 5(3), 9-17.
- [3] Qiu, Y. (2025). Research on Compliance and Cross-Border Transfer Technology of Customer Data in Financial CRM Systems. *Law and Economy*, 4(11), 18-24.
- [4] Yuan, D. (2025). The Impact of Traditional Chinese Non-Pharmacological Therapies on Blood Pressure Control in Community Patients with Hypertension. *Current Research in Medical Sciences*, 4(5), 8-15.
- [5] Lin, H. (2026). Design of Thermal Runaway Early Warning and Safety Management System for Polymer Lithium-ion Batteries in Wearable Pet Devices. *Journal of Progress in Engineering and Physical Science*, 5(2), 58-65.
- [6] Huang, R. (2026). Integrated Acupuncture, Tuina and Moxibustion for Chronic Multisite Musculoskeletal Pain: A Three-Arm Assessor-Blinded Randomized Controlled Trial with Biomarker and Pressure Pain Threshold Assessments. *Journal of Innovations in Medical Research*, 5(2), 16-22.
- [7] Yanbo, Z. (2026). Modular Architecture Design of Multi-Scenario Simulation Test Platform for Vehicular Wireless Signals. *Journal of Academic Research and Advances*, 2(2), 11-21.
- [8] Jiang, Y. (2026). Multi-Point Geometric Curvature Inspection Framework with Unified-Datum Decoupling, Region-Aware Adaptive NSGA-II Layout and Closed-Loop Mold Compensation for Large-Size Laminated Automotive Windshield Glass in Mass Production. *Innovation in Science and Technology*, 5(2), 69-85.
- [9] Jiang, Y. (2026). Thermo-Mechano-Electromagnetic Multi-Physics Coupling Analysis, Unified-Datum Tolerance Coordination and Full-Lifecycle Experimental Verification of Triple-Functional Integrated Automotive Laminated Windshield Glass. *Journal of Progress in Engineering and Physical Science*, 5(2), 32-43.
- [10] Yan, J. (2026). Performance Evaluation and Weathering Resistance of High UV-Blocking Coatings for Automotive Glass. *Journal of Academic Research and Advances*, 2(1), 53-65.
- [11] Yin, M. (2026). Optimizing Cloud-Native Lakehouse Architectures for Real-Time Semiconductor Analytics: Balancing Performance, Cost, and Energy Efficiency. *Journal of Industrial Engineering and Applied Science*, 4(1), 49-61.



- [12] Yin, M. (2026). *Multi-Task Learning for Anomaly Detection and Remaining Useful Life Prediction in Semiconductor Manufacturing Systems*. *The Journal of Applied Engineering and Technologies*, 1(1).
- [13] Zhou, Y., Wang, J., Gao, Z., Zhang, R., Yin, M., & Wei, F. (2026, March). *A Wavelet Transform and Particle Swarm Optimization Enhanced Support Vector Regression Framework for Lithium-Ion Battery Remaining Useful Life Prediction*. In *2026 9th International Conference on Advanced Algorithms and Control Engineering (ICAACE)* (pp. 1843-1846). IEEE.
- [14] Lin, H. (2026). *Design and Implementation of Intelligent Pet Anti-Barking Collar Control System Based on Multi-Sensor Fusion*. *Innovation in Science and Technology*, 5(3), 1-8.
- [15] Haipeng, L. (2026). *Research on Dog Bark Recognition Algorithm Based on Mel-Frequency Cepstral Coefficients and Lightweight Neural Network*. *Journal of Academic Research and Advances*, 2(2), 1-10.
- [16] Qiu, Y. (2026). *Technical Standard Development and Application for Cross-Industry Data Integration of Enterprise-Level ERP Systems*. *Frontiers in Management Science*, 5(1), 47-53.
- [17] Yuan, D. (2025). *Research on the Intervention of Cancer Patients' Anxiety by the Concept of "Harmonization of Body and Mind" in Traditional Chinese Medicine*. *Journal of Innovations in Medical Research*, 4(5), 19-25.
- [18] Huang, R. (2026). *Theoretical Analysis of Combined Acupuncture, Tuina and Moxibustion Intervention for Elderly Chronic Musculoskeletal Pain Guided by Meridian Examination—From the Perspective of Tendon Excess-Deficiency and Qi-Blood Stasis*. *Journal of Research in Social Science and Humanities*, 5(2), 32-41.
- [19] Rui, H. (2026). *Theoretical Analysis on Standardization of Time-Based Moxibustion with Linggui Bafa for Intervention in Mild Cognitive Impairment: From the Perspectives of Time-Based Qi Transformation and Meridian Time Sequence*. *Insights in Social Science*, 4(2), 102-113.